

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"4472527".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:18
L2	2	"4520127".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 09:18
L3	2	"2001114706"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L4	24	"114706"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L5	223	562/545.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L6	184	562/547.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L7	372	L5 or L6	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L8	2447522	gas	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L9	817440	monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L10	36392	L8 same L9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L11	4	L7 and L10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L12	5921559	control	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30

L13	336172	L12 same L8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L14	69	L7 and L13	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L15	2246565	automat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L16	24941	L13 same L15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L17	1	L7 and L16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L18	5	L14 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L19	11	"1080780"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L20	36	"122805"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L21	19	"120984"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L22	96606	L15 adj L12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L23	2522	L22 near10 L8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L24	0	L7 and L23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30

L25	0	L7 and L22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L26	318975	raw adj material	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L27	408325	feedback	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L28	0	L7 and L27	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L29	372653	reactor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L30	7295	L27 and L29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L31	1988	L27 same L29	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L32	42442	("562").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/08/17 11:30
L33	540376	oxidation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L34	311	L31 and L33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30
L35	45	L31 same L33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/08/17 11:30

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1623PAZ

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	FEB 28	PATDPAFULL - New display fields provide for legal status data from INPADO
NEWS	4	FEB 28	BABS - Current-awareness alerts (SDIs) available
NEWS	5	MAR 02	GBFULL: New full-text patent database on STN
NEWS	6	MAR 03	REGISTRY/ZREGISTRY - Sequence annotations enhanced
NEWS	7	MAR 03	MEDLINE file segment of TOXCENTER reloaded
NEWS	8	MAR 22	KOREAPAT now updated monthly; patent information enhanced
NEWS	9	MAR 22	Original IDE display format returns to REGISTRY/ZREGISTRY
NEWS	10	MAR 22	PATDPASPC - New patent database available
NEWS	11	MAR 22	REGISTRY/ZREGISTRY enhanced with experimental property tags
NEWS	12	APR 04	EPFULL enhanced with additional patent information and new fields
NEWS	13	APR 04	EMBASE - Database reloaded and enhanced
NEWS	14	APR 18	New CAS Information Use Policies available online
NEWS	15	APR 25	Patent searching, including current-awareness alerts (SDIs), based on application date in CA/CAPLUS and USPATFULL/USPAT2 may be affected by a change in filing date for U.S. applications.
NEWS	16	APR 28	Improved searching of U.S. Patent Classifications for U.S. patent records in CA/CAPLUS
NEWS	17	MAY 23	GBFULL enhanced with patent drawing images
NEWS	18	MAY 23	REGISTRY has been enhanced with source information from CHEMCATS
NEWS	19	JUN 06	The Analysis Edition of STN Express with Discover! (Version 8.0 for Windows) now available
NEWS	20	JUN 13	RUSSIAPAT: New full-text patent database on STN
NEWS	21	JUN 13	FRFULL enhanced with patent drawing images
NEWS	22	JUN 27	MARPAT displays enhanced with expanded G-group definitions and text labels
NEWS	23	JUL 01	MEDICONF removed from STN
NEWS	24	JUL 07	STN Patent Forums to be held in July 2005
NEWS	25	JUL 13	SCISEARCH reloaded
NEWS	26	JUL 20	Powerful new interactive analysis and visualization software, STN AnaVist, now available
NEWS	27	AUG 11	Derwent World Patents Index(R) web-based training during August
NEWS	28	AUG 11	STN AnaVist workshops to be held in North America
NEWS EXPRESS			JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 07:48:34 ON 17 AUG 2005

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 07:48:42 ON 17 AUG 2005

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Aug 2005 VOL 143 ISS 8

FILE LAST UPDATED: 16 Aug 2005 (20050816/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> oxidation

419035 OXIDATION
4761 OXIDATIONS
420271 OXIDATION
(OXIDATION OR OXIDATIONS)
720215 OXIDN
9075 OXIDNS
722106 OXIDN
(OXIDN OR OXIDNS)

L1 854100 OXIDATION
(OXIDATION OR OXIDN)

=> feedback

L2 10 FEEDBACK

=> feedback

49595 FEEDBACK
699 FEEDBACKS

L3 50084 FEEDBACK
(FEEDBACK OR FEEDBACKS)

=> 11(1)13

L4 619 L1(L)L3

=> autom?

L5 263325 AUTOM?

=> l4 and l5

L6 23 L4 AND L5

=> dn l26 10-23 ti

MISSING OPERATOR DN L26

The search profile that was entered contains terms or nested terms that are not separated by a logical operator.

=> d l26 10-23 ti

L26 NOT FOUND

The L-number entered has not been defined in this session, or it has been deleted. To see the L-numbers currently defined in this session, enter DISPLAY HISTORY at an arrow prompt (=>).

=> d l6 10-23 ti

L6 ANSWER 10 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Atmospheric effects of the emerging mainland Chinese transportation system at and beyond the regional scale

L6 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Apparatus for automotive exhaust gas treatment

L6 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Clinical usefulness of the glucose concentration in subcutaneous tissue - properties and pitfalls of electrochemical biosensors

L6 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Global decrease in atmospheric carbon monoxide concentration

L6 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Coprecipitation mechanisms and products in manganese oxidation in the presence of cadmium

L6 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Strategies for using a computer-operated reaction system for the evaluation of catalyst activity by optimization of product yield

L6 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Time and temperature controller for filament atomizers

L6 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Nonisothermal control of a batch reactor with reaction by digital computer. Experimental verification of the control algorithm based on a mathematical model of the system

L6 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Steady-state characteristics of oxygen concentration cell sensors subjected to nonequilibrium gas mixtures

L6 ANSWER 19 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Control of electroless metalizing baths

L6 ANSWER 20 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Simulation and control synthesis of a pulse column separation system for plutonium-uranium recovery

L6 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN

TI Process and apparatus for automated regulation of sulfur production units

L6 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI **Automatic** control of continuous hot-metal refining

L6 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI **Feedback** potentiometer for the measurement of pH values and
oxidation-reduction potentials

=> d l6 1-9 ti

L6 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Method and measurement apparatus for fuel cell control using dielectric
constant measurements

L6 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Advanced organics oxidation - removing urea from high-purity water

L6 ANSWER 3 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Method of water quality provision by **automatic** regulation of
minimum needed ozone dose

L6 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Exhaust gas treatment system

L6 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Catalytic system for exhaust gas treatment

L6 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Industrial experience of heat supply by catalytic installations

L6 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Adapting the Self-Cycling Fermentor to Anoxic Conditions

L6 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Treatment of kraft condensates in a feedback-controlled sequencing batch
reactor

L6 ANSWER 9 OF 23 CAPLUS COPYRIGHT 2005 ACS on STN
TI Process and setup to determine the concentration of a metabolite in
biological tissue

=> d his

(FILE 'HOME' ENTERED AT 07:48:34 ON 17 AUG 2005)

FILE 'CAPLUS' ENTERED AT 07:48:42 ON 17 AUG 2005

L1 854100 OXIDATION
L2 10 FEDBACK
L3 50084 FEEDBACK
L4 619 L1(L)L3
L5 263325 AUTOM?
L6 23 L4 AND L5

=> acryl?

L7 436908 ACRYL?

=> l3 and l7

L8 92 L3 AND L7

=> stabil?

L9 987854 STABIL?

=> l8 and l9

L10 11 L8 AND L9

=> d l10 1-11 ti

L10 ANSWER 1 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Pliant **acrylic** polymer hydrogel coating for hearing aid earmolds

L10 ANSWER 2 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Temporal organization of nanocrystal self-assembly directed by a chemical oscillator

L10 ANSWER 3 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Apparatus for generating a temperature gradient and methods for using the gradient to characterize molecular interactions

L10 ANSWER 4 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Effect of interfacial tension on propagating polymerization fronts

L10 ANSWER 5 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Temperature **stabilization** of optical waveguides

L10 ANSWER 6 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Electronic laser beam profile measurement

L10 ANSWER 7 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Glucose-Induced Release of Glycosylpoly(ethylene glycol) Insulin Bound to a Soluble Conjugate of Concanavalin A

L10 ANSWER 8 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Temperature control of highly exothermic batch polymerization reactors

L10 ANSWER 9 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Scheme for chlorine adsorption in emergency situations related to excess pressure in an electrolysis room

L10 ANSWER 10 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Effects of the hybrid artificial pancreas in diabetic rats

L10 ANSWER 11 OF 11 CAPLUS COPYRIGHT 2005 ACS on STN

TI Threonine-sensitive aspartokinase-homoserine dehydrogenase complex from Escherichia coli. Subunit stoichiometry and size of the catalytic unit

=> logoff hold

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

25.37

25.58

SESSION WILL BE HELD FOR 60 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 07:52:58 ON 17 AUG 2005